

UVA Health System | Infusion Center Chair Evaluation Form

Name	Date	Model Evaluated
[REDACTED]	10/30/13	Winco

Please rate the following attributes of the chair from 1 (least favorable) to 10 (most favorable):

Stability									
1	2	3	4	5	6	7	8	9	10

Ease of Use									
1	2	3	4	5	6	7	8	9	10

Safety									
1	2	3	4	5	6	7	8	9	10

Comfort									
1	2	3	4	5	6	7	8	9	10

Visual Appeal									
1	2	3	4	5	6	7	8	9	10

Overall Impression									
1	2	3	4	5	6	7	8	9	10

Overall, how does this model compare to the chair we are currently using?

Much worse	Somewhat worse	Same	Somewhat better	Much better
------------	----------------	------	-----------------	-------------

What do you like about this model?

vibration + heat components... eased my back pain tremendously. Good for people that get stiff sitting.

What do you dislike about this model?

back recline lever requires hand/arm strength so was unable to work at without help

Additional Comments:

Hoping to use the other model for comparison. I feel rejuvenated leaving out instead of dragging like usual. vibration definitely help.

4/16/14

UVA Health System | Infusion Center Chair Evaluation Form

Name	Date	Model Evaluated
[REDACTED]	10-30-13	Lumex

Please rate the following attributes of the chair from 1 (least favorable) to 10 (most favorable):

Stability

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Ease of Use

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Safety

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Easy to get feet down

Comfort

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Visual Appeal

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall Impression

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall, how does this model compare to the chair we are currently using?

Much worse	Somewhat worse	Same	Somewhat better	Much better
------------	----------------	------	-----------------	-------------

What do you like about this model?
 I liked that the arm swung out to 180 - wish it went all the way back. Love the foot rest + heat massage.

What do you dislike about this model?
 Wish the arm rest would go all the way back.

Additional Comments:
 I like this chair the best.

UVA Health System | Infusion Center Chair Evaluation Form

Name	Date	Model Evaluated
[REDACTED]	10.24/13	Stryker

Please rate the following attributes of the chair from 1 (least favorable) to 10 (most favorable):

Stability									
1	2	3	4	5	6	7	8	9	10

Ease of Use									
1	2	3	4	5	6	7	8	9	10

Safety									
1	2	3	4	5	6	7	8	9	10

Comfort									
1	2	3	4	5	6	7	8	9	10

Visual Appeal									
1	2	3	4	5	6	7	8	9	10

Overall Impression									
1	2	3	4	5	6	7	8	9	10

Overall, how does this model compare to the chair we are currently using?

Much worse	Somewhat worse	Same	Somewhat better	Much better
------------	----------------	------	-----------------	-------------

What do you like about this model?

- over chair table
- CPR Button
- a little easier to get out of
- brakes seem of a better quality
- foot rest for short people

What do you dislike about this model?

- not that comfortable (a little more than old model)
- no side table for starting IVs

Additional Comments:

[Empty space for additional comments]

UVA Health System | Infusion Center Chair Evaluation Form

Name	Date	Model Evaluated
[REDACTED]	10/18/13	Champion

Please rate the following attributes of the chair from 1 (least favorable) to 10 (most favorable):

Stability

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Ease of Use

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Safety

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Comfort

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Visual Appeal

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall Impression

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall, how does this model compare to the chair we are currently using?

Much worse	Somewhat worse	Same	Somewhat better	Much better
------------	----------------	------	-----------------	-------------

Still very difficult to move leg/foot rest

What do you like about this model?

Heat + massage

What do you dislike about this model?

Light - seems like it will be in the way
foot rest/recliner - hard to move

Additional Comments:

UVA Health System | Infusion Center Chair Evaluation Form

Name	Date	Model Evaluated
[REDACTED]	10/18/13	Champion

Please rate the following attributes of the chair from 1 (least favorable) to 10 (most favorable):

Stability

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Ease of Use

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Safety

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Comfort

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Visual Appeal

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall Impression

1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	----

Overall, how does this model compare to the chair we are currently using?

Much worse	Somewhat worse	Same	Somewhat better	Much better
------------	----------------	------	-----------------	-------------

What do you like about this model?

Foot rest & soft leather

What do you dislike about this model?

It is still difficult to sit up & put the feet down after reclining

Additional Comments:

Don't like b/c still has same operating component as ours now. very difficult to sit up & will continue to increase fall risk to patients